
	Document class and description Technical data sheet	TDS N° 00130/2	Date of emission 03/05/2022
		Rev. N°01	
PRODUCT: LIQUID ELECTROEMANATOR + RECHARGE 45 NIGHTS		page 1 of 1	

1. Product class	1.1	LIQUID ELECTROEMANATOR + RECHARGE 45 NIGHTS AGAINST MOSQUITOES	
2. Article bill of materials	2.1	00130/2	
3. Article sale	3.1	00130/2	
4. Distributor	4.1	BERGEN s.r.l. 37060 Castel D’Azzano (VR)	
5. Description	5.1	The product FULMINE liquid is effective because repels common mosquitoes (Culex pipiens), tiger mosquitoes (Aedes albopictus) and other small insects from a room of Normal size for 45 nights with one operation about 8-10 hours per night. The use is practical because it does not need to touch directly insecticidal substance with their hands. The product is equipped with a strong wick anchored to the bottle and a safety cap that prevents direct access to the liquid, limiting and regulating its dispersion in the environment through the surface of the wick itself.	
6. Mode of use	6.1	Screw the bottle in the appropriate seat obtained in the electroemanator. Insert the electroemanator into a socket; at end of the period of use disconnect the appliance from the power outlet. One bottle is sufficient for room of normal size; if used 8 hours for night its action will free you from common mosquitoes (Culex pipiens), tiger mosquitoes (Aedes albopictus) and other small Annoying insects for 45 nights. NOT TO BE SOLD IN BULK	
7. Composition	100 grams of product contain: PRALLETHRIN (CAS 23031-36-9) 1,20 gr Solvent and coformulants a.r.at 100 gr		
8. Analytics data	8.1	Aspect	Clear liquid
	8.2	Color	Clear
	8.3	Perfume	Compliant with the standard
9. Packaging	9.1	Electroemanator	CE Mark – 6W – 230V
	9.2	Recharge	1 spot
	9.3	1 spot case	1 spot EAN 8007675736809
	9.4	Carton	Precut 12 pieces

STATUS	RESPONSIBLE	FUNCTION	DATE
Approved	Attilio Amelio	Laboratory Manger	03/05/2022

	Document class and description Technical data sheet	TDS N° 00130/2	Date of emission
		Rev. N°01	03/05/2022
PRODUCT: LIQUID ELECTROEMANATOR + RECHARGE 45 NIGHTS		page 1 of 2	

10. Palletizing 	10.1	N° pieces per carton	12
	10.2	N° cartons per plan	12
	10.3	N° plans to cross	4
	10.4	N° cartons per pallet	48
	10.5	N° pieces per pallet	576
	10.6	ITF 14	08007675736809
11. Notes	11.1	Presidio Medico Chirurgico n°20885	
	11.2	Safety data sheet available	
	11.3	Expiring 2 years	

STATUS	RESPONSIBLE	FUNCTION	DATE
Approved	Attilio Amelio	Laboratory Manger	03/05/2022