

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK



Safety Data Sheet dated 20/10/2022, version 3

Conforms to Regulation (EC) No. 878/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: AIR FLOR GEL AIR FRESHENER WHITE MUSK
Trade code: 5975-3

1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Household air-freshener

1.3. Details of the supplier of the safety data sheet

Company:
RE.LE.VI. S.p.A. - Via Postumia n.1- 46040 RODIGO Mantova - Italia
Phone +39.0376.684011 - FAX +39.0376.658076
www.relevi.it - info@relevi.it

Competent person responsible for the safety data sheet:
sds@relevi.it

1.4. Emergency telephone number

Company +39 0376 780632 (24/24h - 7/7d - Italian/English)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.
Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local regulations.

Special Provisions:

EUH208 Contains BENZYL SALICYLATE. May produce an allergic reaction.
EUH208 Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification
$\geq 1\%$ - $< 2,5\%$	Alcohols, C11-13- branched, ethoxylated (>2.5 moles EO)	CAS:	68439-54-3	⚠ 3.1/4/Oral Acute Tox. 4 H302
		EC:	931-985-3	⚠ 3.3/1 Eye Dam. 1 H318
$\geq 0,75\%$ - $< 1\%$	HHCB	Index number:	603-212-00-7	⚠ 4.1/A1 Aquatic Acute 1 H400
		CAS:	1222-05-5	M=1.
		EC:	214-946-9	⚠ 4.1/C1 Aquatic Chronic 1 H410
		REACH No.:	01- 2119488227 -29	
$\geq 0,1\%$ - $< 0,25\%$	BENZYL SALICYLATE	CAS:	118-58-1	⚠ 3.3/2 Eye Irrit. 2 H319
		EC:	204-262-9	4.1/C3 Aquatic Chronic 3 H412
		REACH No.:	01- 2119969442 -31	⚠ 3.4.2/1B Skin Sens. 1B H317
$< 0.05\%$	1,2-benzisothiazolin-3- one	Index number:	613-088-00-6	⚠ 3.1/4/Oral Acute Tox. 4 H302
		CAS:	2634-33-5	⚠ 3.2/2 Skin Irrit. 2 H315
		EC:	220-120-9	⚠ 3.4.2/1 Skin Sens. 1 H317
				⚠ 3.3/1 Eye Dam. 1 H318
				⚠ 4.1/A1 Aquatic Acute 1 H400
				⚠ 4.1/C2 Aquatic Chronic 2 H411
				Specific Concentration Limits: C $\geq 0,05\%$: Skin Sens. 1 H317
$< 0.05\%$	toluene	Index number:	601-021-00-3	⚠ 2.6/2 Flam. Liq. 2 H225
		CAS:	108-88-3	⚠ 3.7/2 Repr. 2 H361d
		EC:	203-625-9	⚠ 3.10/1 Asp. Tox. 1 H304
				⚠ 3.9/2 STOT RE 2 H373
				⚠ 3.2/2 Skin Irrit. 2 H315
				⚠ 3.8/3 STOT SE 3 H336

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK

- authorities.
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
Wash with plenty of water.
- 6.4. Reference to other sections
See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
See also section 8 for recommended protective equipment.
Advice on general occupational hygiene:
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
Maintain between 4 and 38 °C
Keep away from food, drink and feed.
Incompatible materials:
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
- 7.3. Specific end use(s)
None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
toluene - CAS: 108-88-3
EU - TWA(8h): 192 mg/m³, 50 ppm - STEL: 384 mg/m³, 100 ppm - Notes: Skin
ACGIH - TWA(8h): 20 ppm - Notes: OTO; A4; BEI - CNS, visual & hearing impair; female repro system eff; pregnancy loss
- DNEL Exposure Limit Values
HHCB - CAS: 1222-05-5
Worker Industry: 22 mg/m³ - Consumer: 6.5 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
Consumer: 36 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
Consumer: 3.8 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects
- PNEC Exposure Limit Values
HHCB - CAS: 1222-05-5
Target: Fresh Water - Value: 0.0044 mg/l
Target: Marine water - Value: 0.00044 mg/l
Target: Freshwater sediments - Value: 2 mg/kg
Target: Marine water sediments - Value: 0.394 mg/kg
Target: Soil (agricultural) - Value: 0.31 mg/kg
- 8.2. Exposure controls
Eye protection:
Use close fitting safety goggles, don't use eye lens.
- Protection for skin:
No special precaution must be adopted for normal use.
- Protection for hands:
Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK

Respiratory protection:
Not needed for normal use.
Thermal Hazards:
None
Environmental exposure controls:
None
Appropriate engineering controls:
None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Solid	--	--
Colour:	Neutral	--	--
Odour:	Agrestic	--	--
Melting point/freezing point:	Not available	--	--
Boiling point or initial boiling point and boiling range:	Not available	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	Not available	--	--
Flash point:	Not available	--	--
Auto-ignition temperature:	Not available	--	--
Decomposition temperature:	Not available	--	--
pH (sol. 1%):	7.0± 2.0	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	Soluble	--	--
Solubility in oil:	Not available	--	--
Partition coefficient n-octanol/water (log value):	Not available	--	--
Vapour pressure:	Not available	--	--
Density and/or relative density:	Not available	--	--
Relative vapour density:	Not available	--	--

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK

Particle characteristics:			
Particle size:	N.A.	--	--
9.2. Other information No other relevant information			
SECTION 10: Stability and reactivity 10.1. Reactivity Stable under normal conditions 10.2. Chemical stability Stable under normal conditions 10.3. Possibility of hazardous reactions None 10.4. Conditions to avoid Stable under normal conditions. 10.5. Incompatible materials None in particular. 10.6. Hazardous decomposition products None.			
SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product: AIR FLOR GEL AIR FRESHENER WHITE MUSK a) acute toxicity Not classified Based on available data, the classification criteria are not met b) skin corrosion/irritation Not classified Based on available data, the classification criteria are not met c) serious eye damage/irritation The product is classified: Eye Irrit. 2 H319 d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met j) aspiration hazard Not classified			

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Alcohols, C11-13-branched, ethoxylated (>2.5 moles EO) - CAS: 68439-54-3

a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

b) skin corrosion/irritation:
Species: Rabbit Negative

c) serious eye damage/irritation:
Species: Rabbit Positive

d) respiratory or skin sensitisation:
Test: SKIN_SENS - Species: GUINEA PIG Negative

HHCB - CAS: 1222-05-5

a) acute toxicity:
Test: LD50 - Route: Skin - Species: Rat > 6500 mg/kg
Test: LD50 - Route: Oral - Species: Rat > 4640 mg/kg

b) skin corrosion/irritation:
Test: OECD4014 - Species: Rabbit Negative - Source: 168h

c) serious eye damage/irritation:
Test: OECD405 - Species: Rabbit Negative

e) germ cell mutagenicity:
Test: OECD473 Negative

i) STOT-repeated exposure:
Test: NOEL - Route: Oral - Species: Rat = 150 mg/kg - Source: OECD 408 - Notes: 24H

BENZYL SALICYLATE - CAS: 118-58-1

a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 2227 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit = 14150 mg/kg

1,2-benzisothiazolin-3-one - CAS: 2634-33-5

a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 490 mg/kg
Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg

b) skin corrosion/irritation:
Test: OECD4014 - Route: Skin - Species: Rabbit Positive

d) respiratory or skin sensitisation:
Route: Skin - Species: GUINEA PIG Positive

e) germ cell mutagenicity:
Test: NOAEL - Route: Oral - Species: Rat = 112 mg/kg

g) reproductive toxicity:
Test: NOAEL - Route: Oral - Species: Rat

11.2. Information on other hazards

Endocrine disrupting properties:
No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

AIR FLOR GEL AIR FRESHENER WHITE MUSK

The product is classified: Aquatic Chronic 3 - H412

Alcohols, C11-13-branched, ethoxylated (>2.5 moles EO) - CAS: 68439-54-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 1 mg/l - Duration h: 72

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK

- b) Aquatic chronic toxicity:
 - Endpoint: EC50 - Species: Fish > 0.1 mg/l
 - Endpoint: EC50 - Species: Daphnia = 2.6 mg/l
- c) Bacteria toxicity:
 - Endpoint: EC50 = 140 mg/l
- HHCB - CAS: 1222-05-5
 - a) Aquatic acute toxicity:
 - Endpoint: LC50 - Species: Fish = 0.452 mg/l - Duration h: 504
 - Endpoint: EC50 - Species: Daphnia = 0.9 mg/l - Duration h: 48
 - Endpoint: EC50 - Species: Algae > 0.854 mg/l - Duration h: 72
 - Endpoint: EC50 - Species: Algae = 0.723 mg/l - Duration h: 72
 - b) Aquatic chronic toxicity:
 - Endpoint: NOEC - Species: Fish = 0.068 mg/l - Duration h: 864
 - Endpoint: NOEC - Species: Daphnia = 0.111 mg/l - Duration h: 504
- BENZYL SALICYLATE - CAS: 118-58-1
 - a) Aquatic acute toxicity:
 - Endpoint: LC50 - Species: Fish = 1.03 mg/l - Duration h: 96 - Notes: OECD test 203
 - Endpoint: EC50 - Species: Daphnia = 2.25 mg/l - Duration h: 48 - Notes: OECD test 202
- 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
 - a) Aquatic acute toxicity:
 - Endpoint: EC50 - Species: Daphnia = 2.9 mg/l - Duration h: 48
 - Endpoint: LC50 - Species: Fish = 2.15 mg/l - Duration h: 96
 - Endpoint: EC50 - Species: Algae = 0.11 mg/l - Duration h: 72
 - Endpoint: NOEC - Species: Algae = 0.0403 mg/l - Duration h: 72
- 12.2. Persistence and degradability
 - Alcohols, C11-13-branched, ethoxylated (>2.5 moles EO) - CAS: 68439-54-3
 - Biodegradability: Readily biodegradable - Test: BIODG07 - Duration: 28GG - %: 60 - Notes: OECD TG 301 B
 - HHCB - CAS: 1222-05-5
 - Biodegradability: Non-readily biodegradable - %: 2
 - BENZYL SALICYLATE - CAS: 118-58-1
 - Biodegradability: Readily biodegradable - Test: OECD TG 301F
 - 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
 - Biodegradability: Readily biodegradable - Test: CO2 Evolution Test - Duration: 28GG - %: 100 - Notes: OECD 301B Ready Biodegradability
- 12.3. Bioaccumulative potential
 - Alcohols, C11-13-branched, ethoxylated (>2.5 moles EO) - CAS: 68439-54-3
 - Bioaccumulation: .2
 - HHCB - CAS: 1222-05-5
 - Bioaccumulation: Bioaccumulative - Test: BCF - Bioconcentration factor 1.584 - Duration: 672H - Notes: OECD 305
 - 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
 - Bioaccumulation: .2 - Test: BIOAC03 0.7
 - Bioaccumulation: .2 - Test: BCF - Bioconcentration factor 6.62
- 12.4. Mobility in soil
 - Alcohols, C11-13-branched, ethoxylated (>2.5 moles EO) - CAS: 68439-54-3
 - Mobility in soil: Not mobile - Test: Koc 4200
- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
 - No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects
 - None

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

N.A.

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

Restriction 40

Restriction 48

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK

Restriction 75

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)
Regulation (EC) nr 648/2004 (detergents).
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1
None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.
Substances for which a Chemical Safety Assessment has been carried out:
None

SECTION 16: Other information

Text of phrases referred to under heading 3:

H302 Harmful if swallowed.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.
H317 May cause an allergic skin reaction.
H315 Causes skin irritation.
H411 Toxic to aquatic life with long lasting effects.
H225 Highly flammable liquid and vapour.
H361d Suspected of damaging the unborn child.
H304 May be fatal if swallowed and enters airways.
H373 May cause damage to organs through prolonged or repeated exposure.
H336 May cause drowsiness or dizziness.

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Repr. 2	3.7/2	Reproductive toxicity, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK

STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ATE: Acute Toxicity Estimate
 ATEmix: Acute toxicity Estimate (Mixtures)
 BIODG06: CO2 Evolution Test
 CAS: Chemical Abstracts Service (division of the American Chemical Society).
 CLP: Classification, Labeling, Packaging.
 DNEL: Derived No Effect Level.
 EC50: Effect Concentration 50
 EINECS: European Inventory of Existing Commercial Chemical Substances.
 GefStoffVO: Ordinance on Hazardous Substances, Germany.
 GG: Days
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
 IATA: International Air Transport Association.
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
 ICAO: International Civil Aviation Organization.

Safety Data Sheet

AIR FLOR GEL AIR FRESHENER WHITE MUSK

ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
N.A.:	Not applicable
NOEC:	no effective concentration observed
OECD:	Organization for Economic Cooperation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.